



**PURCHASING AND CENTRAL SERVICES**

Telephone No.: (845) 808-1088

Fax No.: (845) 808-1914

# Contract Award Notification

**Title:** SIGN POSTS

**Contract Period:** JUNE 1, 2017 – MAY 31, 2018

**Bid Opening Date:** May 10, 2017

**BID No:** RFB-25-17

**Authorized User:** County Agencies, All Political Subdivisions

**Description:** STEEL SIGN POSTS

**Contractor Information:**  
CHEMUNG SUPPLY  
P.O. BOX 527  
ELMIRA, NY 14902  
607-733-5506

**PURCHASING AGENT:** Alex Maszke **DATE:** 5/16/17

**DEPARTMENT HEAD:** Ed Pace **DATE:** 5/22/17  
PP

**COUNTY EXECUTIVE:** Maryellen Odell **DATE:** 5-23-17



COUNTY OF PUTNAM - PURCHASING  
 40 Gleneida Ave.-1<sup>st</sup> Floor-Room 105, Carmel, NY 10512  
 TELEPHONE: 845-808-1088 / TELEFAX: 845-808-1914

TITLE: SIGN POSTS

BID NUMBER: RFB-25-17

## PARTICULAR BID SPECIFICATIONS

### U-CHANNEL GALVANIZED STEEL SIGN POSTS

1. These galvanized steel posts shall be of a uniform flanged U-channel section. The posts shall be produced from high strength rerolled rail steel or new billet steel that meets the mechanical requirements of ASTM A 499, Grade 60, and the chemical requirements of ASTM A 1 for rails with nominal weights of 91 lbs/yd or greater.
2. Posts shall be punched or drilled on the centerline of the web. The holes shall be three-eighths (3/8) inch in diameter and shall be punched one (1) inch on centers,  $\pm 1/32$  inch, starting one inch from the top of the post and extending the full length of the post. (Holes for delineator posts shall extend at least 18 inches from the top of the post).
3. The following dimensions, weights, and tolerances shall apply for U-channel posts:

#### Delineator post

##### Flange width

- a. Rib Back – 2.063 inches
- b. Flat Back - 2.313 inches
- c. Tolerance – 0.125 inch  $\pm$

##### Depth of "U"

- a. Rib Back – 0.875 inch
- b. Flat Back - 0.875 inch
- c. Tolerance – 0.125 inch  $\pm$

Weight per linear foot (before drilling, punching holes, or galvanizing) - 1.12 lbs.,  $\pm 5\%$

Length – six (6) feet

#### 8 foot, 9 foot, 10 foot, 11 foot and 13 foot posts

##### Flange width

- a. Rib Back – 3.5 inches
- b. Flat Back - 3.5 inches
- c. Tolerance – 0.125 inch  $\pm$

**COUNTY OF PUTNAM - PURCHASING**  
 40 Gleneida Ave.-1<sup>st</sup> Floor-Room 105, Carmel, NY 10512  
 TELEPHONE: 845-808-1088 / TELEFAX: 845-808-1914

**TITLE: SIGN POSTS**

**BID NUMBER: RFB-25-17**

Depth of "U"

- a. Rib Back – 1.875 inch
- b. Flat Back - 1.750 inch
- c. Tolerance – 0.125 inch ±

Weight per linear foot (before drilling, punching holes, or galvanizing) - 3 lbs., ± 5%

Length – 8 feet; 9 feet; 10 feet; 11 feet; 13 feet

**Base post**

Flange width

- a. Rib Back – 3.75 inches
- b. Flat Back - 3.75 inches
- c. Tolerance – 0.125 inch ±

Depth of "U"

- a. Rib Back – 2.000 inch
- b. Flat Back - 1.750 inch
- c. Tolerance – 0.125 inch ±

Weight per linear foot (before drilling, punching holes, or galvanizing) - 4 lbs., ± 5%

Length – 4 feet

4. Base posts shall be pointed at the bottom end.
5. Posts shall be hot-dipped galvanized after fabrication in accordance with ASTM A123. Galvanizing shall have a minimum weight of coating (oz/sq. ft. of surface area) of:  
 Average Specimen – 1.5  
 Any Individual Specimen or Computed Value – 1.25
6. The price bid shall include delivery. The posts shall be delivered strapped in a suitable bundle with a seal on each bundle clearly indicating the weight of the posts, and the number and length of posts in the bundle.
7. Delivery shall be within 30 days after receipt of order.
8. All quantities shown are estimates based on previous usage. **Actual quantities ordered may be more or less during the term of this Contract.** Total quantities may not be ordered at one